ELSEVIER

Brain Research 648 (1994) 357–359

BRAIN RESEARCH

Author Index

Akaike, N., see Nabekura, J. (648) 152
Akaike, N., see Yamamoto, T. (648) 296
Albeck, D.S., see Kuroda, Y. (648) 157
Alcalde, O., see Shouse, M.N. (648) 352
Amico, J.A., see Horwitz, M.J. (648) 59
Arce, A., see Salvatierra, N.A. (648) 39
Aschner, M., Mullaney, K.J., Fehm, M.N., Vitarella, D., Wagoner Jr., D.E. and Kimelberg, H.K.
The role of sulfhydryl groups in D-aspartate and rubidium release from neonatal rat primary astrocyte cultures (648) 16

Bakshi, V.P. and Kelley, A.E.
Sensitization and conditioning of feeding following multiple morphine microinjections into the nucleus accumbens (648) 342
Beldhuis, H.J.A., see Moor, E. (648) 32
Bennett, T., see Widdop, R.E. (648) 46
Bier, M., see Shouse, M.N. (648) 352
Bittman, E.L., Thomas, E.M. and Zucker, I.
Melatonin binding sites in sciurid and hystricomorph rodents: studies on ground squirrels and guinea pigs (648) 73
Bloch, K.D., see Horwitz, M.J. (648) 59
Boda, B., see Szente, M.B. (648) 203
Buijs, R., see Sousa, N. (648) 53
Bureau, Y.R.J., Peredery, O. and Persinger, M.A.
Concordance of quantitative damage within the diencephalon and telencephalon following systemic pilocarpine (380 mg/kg)
or lithium (3 mEq/kg)/pilocarpine (30 mg/kg) induced seizures (648) 265
Burnstock, G., see Höpker, V.H. (648) 332

Chen, C.-C.
Alterations of protein kinase C isozyme and substrate proteins in mouse brain after electroconvulsive seizures (648) 65
Chen, X.Y. and Wolpaw, J.R.
Circadian rhythm in rat H-reflex (648) 167
Choi, W.S., Kim, M.O., Lee, B.J., Kim, J.H., Sun, W., Seong, J.Y. and Kim, K.
Presence of gonadotropin-releasing hormone mRNA in the rat olfactory piriform cortex (648) 148
Copolov, D.L., see Yang, Z. (648) 99
Couture, R., see Poulat, P. (648) 239
Cuello, A.C., see Liberini, P. (648) 1

De Backer, J.-P., see Herroelen, L. (648) 222
De Barros, G.A.M., see Moia, L.J.M.P. (648) 337
De Boer, P., see Moor, E. (648) 32
De Champlain, J., see Poulat, P. (648) 239
De Keyser, J., see Herroelen, L. (648) 222
Donchin, O., see Yirmiya, R. (648) 80
D'Orléans-Juste, P., see Poulat, P. (648) 239

Evers, S.M., see Hendricks, K.R. (648) 121
Evers, S.M., see Hendricks, K.R. (648) 135
Eysel, U.T., see Meller, D. (648) 162

Fehm, M.N., see Aschner, M. (648) 16
Fischer, G., see Möckel, V. (648) 109
Flamez, A., see Herroelen, L. (648) 222
Fox, R.J. and Sorenson, C.A.
Bilateral lesions of the amygdala attenuate analgesia induced by diverse environmental challenges (648) 215

Gardiner, S.M., see Widdop, R.E. (648) 46
Geula, C., see Selden, N. (648) 327
Giri, M. and Kaufman, J.M.
In vitro GnRH release from the isolated medial basal hypothalamus of the male guinea pig: evidence for the existence of two pools of releasable GnRH (648) 270
Goheen, B.L., see Hendricks, K.R. (648) 135
Gooden, M.D., see Hendricks, K.R. (648) 121
Gooden, M.D., see Hendricks, K.R. (648) 135
Granata, A.R.
Rostral ventrolateral medulla descending neurons excited by nucleus tractus solitarii inputs (648) 299

Hastings, N.B., see Kuroda, Y. (648) 157
Hatase, O., see Moia, L.J.M.P. (648) 337
Havton, L.A., see Ohara, P.T. (648) 259
Hendricks, K.R., Kott, J.N., Gooden, M.D., Lee, M.E., Evers, S.M., Goheen, B.L. and Westrum, L.E.
Recovery of olfactory behavior. II. Neonatal olfactory bulb transplants enhance the rate of behavioral recovery (648) 135
Hendricks, K.R., Kott, J.N., Lee, M.E., Gooden, M.D., Evers, S.M. and Westrum, L.E.
Recovery of olfactory behavior. I. Recovery after a complete olfactory bulb lesion correlates with patterns of olfactory nerve penetration (648) 121
Herroelen, L., De Backer, J.-P., Wilczak, N., Flamez, A., Vauquelin, G. and De Keyser, J.
Autoradiographic distribution of D_3-type dopamine receptors in human brain using [^{3}H]7-hydroxy-*N,N*-di-*n*-propyl-2-aminotetralin (648) 222
Höpker, V.H., Saffrey, M.J. and Burnstock, G.
Myenteric plexus explants promote neurite elongation and survival of striatal neurons in vitro (648) 332
Horwitz, M.J., Bloch, K.D., Kim, N.B. and Amico, J.A.
Expression of the endothelin-1 and oxytocin genes in the hypothalamus of the pregnant rat (648) 59
Huang, W., see Yang, Z. (648) 99

Isaacson, R.L., see Maier, D.L. (648) 281
Itano, T., see Moia, L.J.M.P. (648) 337
Izumi, F., see Kobayashi, H. (648) 324

Jaffe, S.B., Sobieszczyk, S. and Wardlaw, S.L.
Effect of opioid antagonism on β-endorphin processing and proopiomelanocortin-peptide release in the hypothalamus (648) 24
Janowsky, A., see Meshul, C.K. (648) 181
Jin, G.R., Rao, Z.R. and Shi, J.W.
Visceral noxious stimulation induced expression of Fos protein in medullary catecholaminergic neurons projecting to nucleus accumbens in the rat: a study with triple labeling method of HRP tracing combined with Fos and TH immunohistochemistry (648) 196

Kakehata, S., see Yamamoto, T. (648) 296
Kaufman, J.M., see Giri, M. (648) 270
Kawamoto, I., see Nabekura, J. (648) 152
Kelley, A.E., see Bakshi, V.P. (648) 342
Kenyon, J.L., see Ward, S.M. (648) 249
Kim, J.H., see Choi, W.S. (648) 148
Kim, K., see Choi, W.S. (648) 148
Kim, M.O., see Choi, W.S. (648) 148
Kim, N.B., see Horwitz, M.J. (648) 59
Kimelberg, H.K., see Aschner, M. (648) 16
Kobayashi, H., Ueno, S., Tsutsui, M., Okazaki, M., Uezono, Y., Yanagihara, N., Yuhi, T. and Izumi, F.
C-Type natriuretic peptide increases cyclic GMP in rat cerebral microvessels in primary culture (648) 324

Kott, J.N., see Hendricks, K.R. (648) 121
Kott, J.N., see Hendricks, K.R. (648) 135
Krieger, M., see Tillet, Y. (648) 319
Kuroda, Y., Watanabe, Y., Albeck, D.S., Hastings, N.B. and McEwen, B.S.
Effects of adrenalectomy and Type I or Type II glucocorticoid receptor activation on 5-HT_{1A} and 5-HT_2 receptor binding and 5-HT transporter mRNA expression in rat brain (648) 157
Kuwata, Y., see Moia, L.J.M.P. (648) 337

Lalley, P.M.
The excitability and rhythm of medullary respiratory neurons in the cat are altered by the serotonin receptor agonist 5-methoxy-*N*,*N*, dimethyltryptamine (648) 87
Langer, J., see Shouse, M.N. (648) 352
Lee, B.J., see Choi, W.S. (648) 148
Lee, D., see Yang, Z. (648) 99
Lee, M.E., see Hendricks, K.R. (648) 121
Lee, M.E., see Hendricks, K.R. (648) 135
Le Gal La Salle, G., see Ridoux, V. (648) 171
Liberini, P., Pioro, E.P., Maysinger, D. and Cuello, A.C.
Neocortical infarction in subhuman primates leads to restricted morphological damage of the cholinergic neurons in the nucleus basalis of Meynert (648) 1
Lim, A.T., see Yang, Z. (648) 99
Lysko, P.G., see Willette, R.N. (648) 347

MacDonald, J.F., see Tymianski, M. (648) 291
Madeira, M.D., see Sousa, N. (648) 53
Maier, D.L. and Isaacson, R.L.
Behavioral and neuroanatomical consequences of a unilateral intraventricular infusion of AF64A and limitations on the neuroprotective effects of nimodipine (648) 281
Mallet, J., see Ridoux, V. (648) 171
Marín, R.H., see Salvatierra, N.A. (648) 39
Martijena, I.D., see Salvatierra, N.A. (648) 39
Matsui, H., see Moia, L.J.M.P. (648) 337
Maysinger, D., see Liberini, P. (648) 1
McCarley, R.W., see Portas, C.M. (648) 306
McEwen, B.S., see Kuroda, Y. (648) 157
Meller, D., Eysel, U.T. and Schmidt-Kastner, R.
Transient immunohistochemical labelling of rat retinal axons during Wallerian degeneration by a monoclonal antibody to neurofilaments (648) 162
Meshul, C.K., Stallbaumer, R.K., Taylor, B. and Janowsky, A.
Haloperidol-induced morphological changes in striatum are associated with glutamate synapses (648) 181
Mesulam, M.-M., see Selden, N. (648) 327
Mihailoff, G.A.
Identification of pontocerebellar axon collateral synaptic boutons in the rat cerebellar nuclei (648) 313
Miyamoto, K., see Moia, L.J.M.P. (648) 337
Möckel, V. and Fischer, G.
Vulnerability to excitotoxic stimuli of cultured rat hippocampal neurons containing the calcium-binding proteins calretinin and calbindin D_{28K} (648) 109
Moia, L.J.M.P., Matsui, H., De Barros, G.A.M., Tomizawa, K., Miyamoto, K., Kuwata, Y., Tokuda, M., Itano, T. and Hatase, O.
Immunosuppressants and calcineurin inhibitors, cyclosporin A and FK506, reversibly inhibit epileptogenesis in amygdaloid kindled rat (648) 337
Moor, E., De Boer, P., Beldhuis, H.J.A. and Westerink, B.H.C.
A novel approach for studying septo-hippocampal cholinergic neurons in freely moving rats: a microdialysis study with dual-probe design (648) 32
Mullaney, K.J., see Aschner, M. (648) 16

Nabekura, J., Kawamoto, I. and Akaike, N.
Developmental change in voltage dependency of NMDA receptor-mediated response in nucleus tractus solitarii neurons (648) 152
Nishi, S., see Yamada, S. (648) 176

Ohara, P.T. and Havton, L.A.
Preserved features of thalamocortical projection neuron dendritic architecture in the somatosensory thalamus of the rat, cat and macaque (648) 259
Okazaki, M., see Kobayashi, H. (648) 324
Ovadia, H., see Yirmiya, R. (648) 80

Paula-Barbosa, M.M., see Sousa, N. (648) 53
Peredery, O., see Bureau, Y.R.J. (648) 265
Perricaudet, M., see Ridoux, V. (648) 171
Persinger, M.A., see Bureau, Y.R.J. (648) 265
Pioro, E.P., see Liberini, P. (648) 1
Portas, C.M. and McCarley, R.W.
Behavioral state-related changes of extracellular serotonin concentration in the dorsal raphe nucleus: a microdialysis study in the freely moving cat (648) 306
Poulat, P., D'Orléans-Juste, P., De Champlain, J., Yano, M. and Couture, R.
Cardiovascular effects of intrathecally administered endothelins and big endothelin-1 in conscious rats: receptor characterization and mechanism of action (648) 239

Rao, Z.R., see Jin, G.R. (648) 196
Richkind, M., see Shouse, M.N. (648) 352
Ridoux, V., Robert, J.J., Zhang, X., Perricaudet, M., Mallet, J. and Le Gal La Salle, G.
Adenoviral vectors as functional retrograde neuronal tracers (648) 171
Robert, J.J., see Ridoux, V. (648) 171
Rosen, H., see Yirmiya, R. (648) 80

Saffrey, M.J., see Höpker, V.H. (648) 332
Saito, H., see Yamamoto, T. (648) 296
Saito, T., see Yamamoto, T. (648) 296
Salvatierra, N.A., Marín, R.H., Arce, A. and Martijena, I.D.
Chick imprinting performance and susceptibility to acute stress associated to flunitrazepam receptor increase (648) 39
Sasaki, S.-I., Uchino, H. and Uchino, Y.
Axon branching of medullary expiratory neurons in the lumbar and the sacral spinal cord of the cat (648) 229
Sauermelch, C.F., see Willette, R.N. (648) 347
Schmidt-Kastner, R., see Meller, D. (648) 162
Selden, N., Mesulam, M.-M. and Geula, C.
Human striatum: the distribution of neurofibrillary tangles in Alzheimer's disease (648) 327
Seong, J.Y., see Choi, W.S. (648) 148
Shi, J.W., see Jin, G.R. (648) 196
Shouse, M.N., Bier, M., Langer, J., Alcalde, O., Richkind, M. and Szymusiak, R.
The α_2-agonist clonidine suppresses seizures, whereas the α_2-antagonist idazoxan promotes seizures — a microinfusion study in amygdala-kindled kittens (648) 352
Shuttleworth, C.W.R., see Ward, S.M. (648) 249
Sobieszczyk, S., see Jaffe, S.B. (648) 24
Sorenson, C.A., see Fox, R.J. (648) 215
Sousa, N., Madeira, M.D., Paula-Barbosa, M.M. and Buijs, R.
The vasopressinergic innervation of the lateral septum of the rat after chronic alcohol consumption and withdrawal (648) 53
Stallbaumer, R.K., see Meshul, C.K. (648) 181
Sun, W., see Choi, W.S. (648) 148
Sved, A.F., see Tsukamoto, K. (648) 9
Szente, M.B. and Boda, B.
Cellular mechanisms of neocortical secondary epileptogenesis (648) 203
Szymusiak, R., see Shouse, M.N. (648) 352

Taylor, B., see Meshul, C.K. (648) 181
Thibault, J., see Tillet, Y. (648) 319
Thomas, E.M., see Bittman, E.L. (648) 73
Tillet, Y., Thibault, J. and Krieger, M.
Aromatic L-amino acid decarboxylase immunohistochemistry in the suprachiasmatic nucleus of the sheep. Comparison with tyrosine hydroxylase immunohistochemistry (648) 319
Tokuda, M., see Moia, L.J.M.P. (648) 337
Tomizawa, K., see Moia, L.J.M.P. (648) 337
Tsukamoto, K., Yin, M. and Sved, A.F.
Effect of atropine injected into the nucleus tractus solitarius on the regulation of blood pressure (648) 9
Tsutsui, M., see Kobayashi, H. (648) 324
Tymianski, M., Wang, L.-Y. and MacDonald, J.F.
Alteration of neuronal calcium home-

ostasis and excitotoxic vulnerability by chronic depolarization (648) 291

Uchino, H., see Sasaki, S.-I. (648) 229
Uchino, Y., see Sasaki, S.-I. (648) 229
Ueno, S., see Kobayashi, H. (648) 324
Uezono, Y., see Kobayashi, H. (648) 324

Vauquelin, G., see Herroelen, L. (648) 222
Vitarella, D., see Aschner, M. (648) 16

Wagoner Jr., D.E., see Aschner, M. (648) 16
Wang, L.-Y., see Tymianski, M. (648) 291
Ward, S.M., Shuttleworth, C.W.R. and Kenyon, J.L.
Dorsal root ganglion neurons of embryonic chicks contain nitric oxide synthase and respond to nitric oxide (648) 249
Wardlaw, S.L., see Jaffe, S.B. (648) 24
Watanabe, Y., see Kuroda, Y. (648) 157
Westerink, B.H.C., see Moor, E. (648) 32
Westrum, L.E., see Hendricks, K.R. (648) 121
Westrum, L.E., see Hendricks, K.R. (648) 135
Widdop, R.E., Gardiner, S.M. and Bennett, T.
Effects of angiotensin II AT_1- or AT_2-receptor antagonists on drinking evoked by angiotensin II or water deprivation in rats (648) 46
Wilczak, N., see Herroelen, L. (648) 222
Willette, R.N., Lysko, P.G. and Sauermelch, C.F.
A comparison of (+)SK&F 10047 and MK-801 on cortical spreading depression (648) 347
Wolpaw, J.R., see Chen, X.Y. (648) 167

Yamada, S., Yokoo, H. and Nishi, S.
Differential effects of dopamine agonists on evoked dopamine release from slices of striatum and nucleus accumbens in rats (648) 176
Yamamoto, T., Kakehata, S., Saito, T., Saito, H. and Akaike, N.
Cisplatin blocks voltage-dependent calcium current in dissociated outer hair cells of guinea-pig cochlea (648) 296
Yanagihara, N., see Kobayashi, H. (648) 324
Yang, Z., Lee, D., Huang, W., Copolov, D.L. and Lim, A.T.
Glucocorticoids potentiate the adenylyl cyclase–cAMP system mediated immunoreactive β-endorphin production and secretion from hypothalamic neurons in culture (648) 99
Yano, M., see Poulat, P. (648) 239
Yin, M., see Tsukamoto, K. (648) 9
Yirmiya, R., Rosen, H., Donchin, O. and Ovadia, H.
Behavioral effects of lipopolysaccharide in rats: involvement of endogenous opioids (648) 80
Yokoo, H., see Yamada, S. (648) 176
Yuhi, T., see Kobayashi, H. (648) 324

Zhang, X., see Ridoux, V. (648) 171
Zucker, I., see Bittman, E.L. (648) 73